



MATERIAL SAFETY DATA SHEET

Methanol Gel Chafing Fuel

Section 1 – Product Identification

- **Product Name:** Methanol Gel Chafing Fuel
 - **Product Description:** A gelled Methanol alcohol-based fuel used for food warming applications in chafing dishes.
 - **Chemical Name:** Methanol (Methyl Alcohol)
 - **Manufacturer/Supplier:** Sudarshan Fuel & Paints
 - **Emergency Contact:** +918767384923
-

Section 2 – Composition and Ingredients

- **Methanol (CH₃OH)** – CAS# 67-56-1 – **60-90%**
 - **Gelling Agent** – Proprietary – **10-40%**
-

Section 3 – Physical and Chemical Properties

- **Appearance:** Clear to bluish gel
 - **Odor:** Alcohol-like odor
 - **Boiling Point:** ~65°C (149°F)
 - **Melting Point:** N/A (gel form)
 - **Flash Point:** ~12°C (54°F) (Closed Cup)
 - **Vapor Density (Air = 1):** 1.1
 - **Solubility in Water:** Completely soluble
 - **Specific Gravity:** 0.79–0.85
-

Section 4 – Fire and Explosion Hazard Data

- **Flash Point:** ~12°C (54°F)
 - **Flammable Limits in Air:**
 - **Lower:** 6%
 - **Upper:** 36%
 - **Autoignition Temperature:** ~470°C (878°F)
 - **Extinguishing Media:** CO₂, Dry Chemical, Alcohol-Resistant Foam
 - **Special Firefighting Procedures:**
 - Use self-contained breathing apparatus (SCBA).
 - Keep containers cool with water spray.
 - **Unusual Fire & Explosion Hazards:**
 - Vapors can form explosive mixtures with air.
 - Fire may produce toxic gases such as carbon monoxide and formaldehyde.
-

Section 5 – Stability and Reactivity

- **Stability:** Stable under normal conditions.
 - **Conditions to Avoid:** Heat, open flames, sparks.
 - **Incompatibilities:** Strong oxidizers, acids, and bases.
 - **Hazardous Decomposition Products:** Carbon monoxide, carbon dioxide, formaldehyde.
-

Section 6 – Health Hazard Information

- **Routes of Exposure:**
 - **Inhalation:** Vapors may cause dizziness, nausea, or respiratory distress.
 - **Skin Contact:** Prolonged exposure may cause irritation or absorption into the bloodstream.
 - **Eye Contact:** Causes severe irritation; may cause vision impairment.
 - **Ingestion:** Toxic if swallowed; can cause blindness, coma, or death.
 - **Acute Toxicity:**
 - **Oral LD50 (Rat):** 5,628 mg/kg
 - **Dermal LD50 (Rabbit):** 15,800 mg/kg
 - **Carcinogenic Status:** Not classified as a carcinogen by OSHA, IARC, or NTP.
-

Section 7 – First Aid Measures

- **Inhalation:** Move to fresh air. If breathing difficulty persists, seek medical attention.
 - **Eye Contact:** Flush with water for at least 15 minutes. Seek immediate medical attention.
 - **Skin Contact:** Wash with soap and water. Remove contaminated clothing.
 - **Ingestion:** Do **not** induce vomiting. Drink water or milk and seek immediate medical help.
-

Section 8 – Handling and Storage

- **Handling:**
 - Avoid breathing vapors.
 - Keep away from heat, sparks, and flames.
 - Use in a well-ventilated area.
 - **Storage:**
 - Store in a cool, dry place (below 40°C/104°F).
 - Keep containers tightly closed.
 - Keep away from oxidizers and ignition sources.
-

Section 9 – Exposure Controls and Personal Protection

- **OSHA PEL (Permissible Exposure Limit):** 200 ppm (TWA)
 - **NIOSH REL:** 200 ppm (TWA), 250 ppm (STEL)
 - **Engineering Controls:**
 - Use local exhaust ventilation to minimize exposure.
 - **Personal Protective Equipment (PPE):**
 - **Eyes:** Safety goggles or face shield.
 - **Skin:** Chemical-resistant gloves.
 - **Respiratory:** Use a NIOSH-approved respirator if ventilation is inadequate.
-

Section 10 – Environmental and Disposal Information

- **Environmental Effects:**
 - Highly toxic to aquatic life.
 - Avoid release into water sources.
 - **Disposal Considerations:**
 - Dispose of in accordance with local, state, and federal regulations.
 - Do not pour into drains or water sources.
-

Section 11 – Transportation Information

- **DOT Classification:** Flammable Liquid (Class 3)
 - **UN Number:** UN1230
 - **Packing Group:** II
 - **IMDG Hazard Class:** 3
 - **IATA:** Prohibited on passenger aircraft above specific volumes.
-

Section 12 – Regulatory Information

- **OSHA Hazard Classification:** Flammable Liquid, Toxic Material
 - **TSCA Status:** Listed
 - **CERCLA Reportable Quantity (RQ):** 5,000 lbs
 - **SARA Title III Section 313:** Methanol is a listed toxic chemical
-

Section 13 – Other Information

- **HMIS Ratings:**
 - **Health:** 2
 - **Flammability:** 3
 - **Reactivity:** 0
- **NFPA Ratings:**
 - **Health:** 2
 - **Flammability:** 3
 - **Instability:** 0

Disclaimer: The information provided is accurate to the best of our knowledge but is not a guarantee of the product's safety. The user is responsible for ensuring proper handling and compliance with all applicable regulations.